



Confidential to United Fisheries Limited

Summary of findings:

The effect of a United Fisheries Limited MCHC fish bone powder on osteoblast function and osteoclast-precursor differentiation

Dr Wei-Hang Chua

Mrs Gabrielle Plimmer

Prof Marlena C Kruger

Bone Health Research Group
Institute of Food, Nutrition & Human Health
College of Health
Massey University
Private Bag 11 222
Palmerston North 4442
New Zealand

Phone +64 6 350 5799 extension 81868
Email: w.h.chua@massey.ac.nz

August 2014

Confidentiality Classification

This report is classified as:

- Unrestricted – freely available
- Confidential to United Fisheries Limited
- Restricted Distribution
- Customer Only

(Sign)

Principal Investigator, Physiology Division, IFNHH, Massey University

Copy 1 of 1

The contents of this publication are confidential to and the property of United Fisheries Limited and, without prior consent, may not be disclosed to a third party or copied or used in any manner not authorised by the aforementioned.

Lay Summary

This study was designed to test the effect of a United Fisheries Limited “MCHC fish bone powder” on:

Aims:

The proliferation and differentiation of osteoblast-like cells.

What effect does the United Fisheries MCHC fish bone powder have on the osteoblast? Osteoblasts are the cells which build bone. Does this powder cause the cells to grow and multiply (proliferation) and develop the characteristics of cells which could make bone (differentiate) or does the powder prevent this from happening?

The differentiation of osteoclast precursors into osteoclasts.

What effect does the United Fisheries MCHC fish bone powder have on osteoclast precursor cells? Osteoclasts are the cells that break down bone, these cells are absolutely necessary for healthy bones, but if their activity exceeds the amount of bone made by the osteoblast then we can lose bone mass (eg. osteopenia or worse osteoporosis). “Osteoclast precursor cells” are the “early stage” version of the osteoclast, they are like the hull of a boat, but without further work they can’t do anything useful. A mature osteoclast which can resorb (breakdown) bone doesn’t form from the precursor until “called into duty” by a range of stimuli. In this study we want to test if the United Fisheries powder encourage or inhibit this process.

What we did:

We used osteoblast and osteoclast precursor cells grown in the lab. It is accepted practice to use mammal cells, in this case mouse cells. We used a mouse osteoblast cell called MC3T3-E1 subclone 4, and a mouse osteoclast precursor cell called the RAW 264.7 macrophage. Both cells, or cell lines, are well established models used to demonstrate osteoblast and osteoclast functions and activities. We treated these cells with the MCHC powder to test the above aims. This is a similar process as would be used with the first steps of testing factors or drugs that might have a positive effect on bone growth or a protective effect from bone breakdown.

What we found:

The MCHC fish bone powder had a significant effect on bone cells in the lab, indicating potential positive effects on bone cell function.

The MCHC fish bone powder increased osteoblast growth and differentiation, this means that the powder causes bone-making osteoblast cells to grow and show characteristics of cells that could produce bone matrix. This also means that the powder is not toxic to bone cells at the concentrations it was tested at.

The fish bone powder reduced and inhibited the formation of osteoclast cells.

The MCHC fish bone powder had to be dissolved into solutions before cells were treated. The powder did not dissolve completely in the cell growth solutions.

Recommendations:

Recommendation 1:

The powder didn't dissolve completely in the cell culture media which the cells were grown in (i.e. part of the powder remained as a solid powder and therefore couldn't be put on the cells). Because of this, we recommend that we repeat the process of dissolving the powder in cell culture media and then submit the dissolved portion for chemical analysis for

- i. Protein
- ii. Calcium
- iii. Magnesium
- iv. Phosphorus
- v. Collagen
- vi. Glycosaminoglycan
- vii. Chondroitin sulphate
- viii. Fat

There will be two samples total, the United Fisheries MCHC fish bone powder solution, and a cell culture solution by itself.

Why do this? This will tell us what proportions of each of the above analysed compounds were dissolved and are present in the solutions which the cells were treated with.

Recommendation 2

Test to see if the United Fisheries powder is able to enhance osteoblast mineralization. The development of the osteoblast bone cell is a three step process, proliferation followed by differentiation, and then final the production of mineral. The current study has looked at the first two steps but not the last which is a more prolonged experiment. Treating the cells with the powder(s) will test to see if they enhance the production of mineral by the osteoblasts.

Recommendation 3

The United Fisheries powder was partially soluble in cell culture media (a balanced salt solution compatible with cells). Powders such as this are likely to be dissolved or digested better in the stomach as there are digestive factors in the digestive tract that break down products better.

To replicate the form that this powder might take when they have been through the stomach, it is recommended that the powder is subjected to a simulated gastric digestion in the lab and then treating the cells with this digested form of the powder. Using a digestion method compatible with the osteoblast and osteoclast models, this could completely digest the entire powder sample (instead of the soluble part only) in a form similar to what would be presented to the gut. This may give you a better representation of the form that the powder might take when they enter the bloodstream when absorbed from the gut.

Cons: The technique is more complicated and timeconsuming, but could give you more meaningful results.

Scientific Summary

This study was designed to assess the effect of a United Fisheries MCHC fish bone powder on osteoblast function and the differentiation of osteoclast precursors into osteoclasts.

The study used the mouse MC3T3-E1 cell line as an *in vitro* osteoblast model, and the mouse RAW 264.7 macrophage cell line as a model of an osteoclast precursor cell. Both cell lines are well established models used to demonstrate osteoblast and osteoclast phenotypic activities respectively.

1. The United Fisheries MCHC fish bone powder increased MC3T3-E1 osteoblast cell proliferation and differentiation indicating an osteogenic effect (anabolic) of the soluble component of the powder *in vitro*.
2. The fish bone powder inhibited osteoclast formation in RANKL-stimulated RAW 264.7 cells indicating a possible role for controlling bone resorption *in vitro*.
3. While the powder had a significant effect on bone cells *in vitro*, the powder was only partially soluble in solution (i.e. there was a significant amount of powder which was insoluble).
4. The soluble portion of the powder had some effect on some of the bone cell function models used indicating bioactivity of some of the soluble components.
5. To further investigate the effects of this powder, it is recommended that the powder solubilisation process is replicated and samples of the soluble fractions are submitted for chemical analysis for (i) protein, (ii) calcium, (iii) magnesium, (iv) phosphorus, (v) collagen, (vi) glycosaminoglycan, (vii) chondroitin sulphate, and (viii) fat. Including respective blank controls for each of the cell culture medias used.
6. Subject the powder to a simulated gastric digest *in vitro*. Using a method compatible with the osteoblast and osteoclast models, this could completely digest the entire powder sample (instead of the soluble part only) in a form similar to what would be presented to the gut.